

Comparison of ENDF/B-VII.1, ENDF/B-VIII.0, and JEFF-3.3 as applied to SA&UC of CEFR



Emil Fridman (HZDR)

HZDR

 **HELMHOLTZ**
ZENTRUM DRESDEN
ROSSENDORF

CEFR overview

- CEFR - China Experimental Fast Reactor
- Located at CIAE near Beijing
- First SFR operated in China
- 65MW_{th} pool-type SFR
- 79 fuel sub-assemblies
- 64.4 wt% enriched UO₂ fuel



Methodology

- Automated SA&UQ calculations
- Sensitivity calculations based on a collision history approach
- Uncertainty quantification using ASCII 24-group covariance data
- Derived with NJOY2016

Data libraries

- ENDF/B-VII.1 (December 2011)
- JEFF-3.3 (November 2017)
- ENDF/B-VIII.0 (February 2018)


CIELO isotopes

- Collaborative International Evaluation Library Organization project
- Launched to generate new evaluations for most important isotopes


Isotope	CIELO-1 (ENDF/B-VIII.0)	CIELO-2 (JEFF-3.3)
H1	LANL/IAEA	LANL/IAEA
O-16 res.	LANL/JRC-Geel	IRSN/JRC-Geel
O-16 fast	LANL	LANL
Fe-56 res.	IAEA/BNL	IRSN
Fe-56 fast	BNL/IAEA/CIAE	JEFF
U-235 res.	ORNL/IAEA	IRSN/ORNL
U-235 fast	IAEA+LANL	CEA
U-238 res.	JRC-Geel	IRSN/CEA
U-238 fast	IAEA+LANL	CEA
Pu-239 res.	ORNL/CEA	ORNL/CEA
Pu-239 fast	LANL	CEA

Results


K-eff uncertainty due to the nuclear data




K-eff sensitivity to U235 mt=102




Library uncertainty: U235 mt=102




K-eff sensitivity to U235 mt=18




Library uncertainty: U235 mt=18



K-eff sensitivity to U238 mt=4



Library uncertainty: U238 mt=4



Thank you for your attention!